## Amendments to the Claims:

The following listing of claims replaces all prior versions and listings of claims, in the application.

## **Listing of Claims**

1. (Original) A method of analyzing spectral data to measure a structure in a layer of tissue comprising:

providing a light collection system that collects fluorescent and reflected light from the tissue at a plurality of wavelengths and detects the collected light;

forming a fluorescence representation and a scattered light representation as a function of wavelength from the detected light; and

determining a characteristic of the tissue layer with the fluorescence representation and the scattered light representation.

- 2. (Original) The method of Claim 1 further comprising using the fluorescence representation to determine one or more components of the tissue.
- 3. (Original) The method of Claim 1 further comprising using the scattered light representation to determine a size of a structure within the tissue layer.
- 4. (Original) The method of Claim 1 further comprising measuring a periodic component of the detected light to provide the scattered light representation.
- 5. (Original) The method of Claim 1 further comprising analyzing a diffuse reflectance spectrum and a light scattering spectrum.
- 6. (Original) The method of Claim 1 further comprising calibrating with a reflectance standard and a fluorescence standard.
- 7. (Original) The method of Claim 1 further comprising generating a lookup table with different sizes of scatterers.

- 8. (Original) The method of Claim 1 further comprising correcting the fluorescence spectrum to obtain an intrinsic fluorescence spectrum.
- (Original) The method of Claim 5 further comprising transforming the light scattering spectrum and removing spectral components to determine size distribution of a tissue component.
- 10. (Original) The method of Claim 1 further comprising performing discriminate analysis to diagnose the tissue.
  - 11. (Original) The method of Claim 1 further comprising separating a plurality of scattering coefficient values into a plurality of different regions.
  - 12. (Currently Amended) An apparatus for optically measuring tissue comprising:

    a radiation broadband light source that generates light in the range of 330
    700 nm and that illuminates a region of interest in tissue to be measured with incident radiation;

an optical system that collects scattered and fluorescent light from the tissue at a plurality of wavelengths;

- a detector system that senses the collected light and provides fluorescence data and scattered light data as a function of wavelength; and
- a data processor that determines a characteristic of the region of interest with the fluorescence data and the scattered light data.
- 13. (Currently Amended) The apparatus of Claim 12 further comprising a broadband second laser light source that generates light in the range of 330-700 nm.
- 14. (Original) The apparatus of Claim 12 further comprising a fiber optic probe that couples the source to the tissue.
- 15. (Currently Amended) The apparatus of Claim 12 14 wherein the probe is insertable in an endoscope.

- 16. (Original) The apparatus of Claim 12 further comprising a fast excitationemission matrix instrument.
- 17. (Original) A method for analyzing tissue spectra comprising:

acquiring fluorescence spectra;

acquiring a reflectance spectra;

processing the fluorescence spectra and reflectance spectra to provide an intrinsic fluorescence spectrum, a diffuse reflectance spectrum and a light scattering spectrum; and

determining a biophysical tissue characteristic from the intrinsic fluorescence spectrum, the diffuse reflectance spectrum and light scattering spectrum.

- 18. (Original) A computer readable medium having stored therein a set of instructions for causing a processing unit to execute the steps of the method of Claim 17.
- 19. (Original) The method of Claim 17 further comprising determining a size of a structure within the tissue layer.
- 20. (Original) The method of Claim 19 wherein the structure is the nuclei of epithelial cells in the tissue.
- 21. (Original) The method of Claim 17 further comprising measuring a periodic component of the detected reflectance spectrum.
- 22. (Original) The method of Claim 17 further comprising calibrating with a reflectance standard and a fluorescence standard.
- 23. (Original) The method of Claim 17 further comprising generating a look-up table with different sizes of scatterers.

- 24. (Original) The method of Claim 17 further comprising correcting the fluorescence spectrum to obtain an intrinsic fluorescence spectrum.
- 25. (Original) The method of Claim 17 further comprising transforming the light scattering spectrum and removing spectral components to determine size distribution of a tissue component.
- 26. (Original) The method of Claim 17 further comprising performing discriminate analysis for providing a real-time diagnosis for the tissue.
- 27. (Original) The method of Claim 17 further comprising separating a plurality of scattering coefficient values into a plurality of different regions.
- 28. (Original) An apparatus for optically measuring a structure in a layer of tissue comprising:
  - a radiation source that illuminates a region of interest in tissue to be measured with incident radiation;
  - an optical system that collects scattered, fluorescent and reflected light from the tissue at a plurality of wavelengths;
  - a detector system that senses the collected light and provides a fluorescence spectrum, a reflectance spectrum and a scattered spectrum as a function of wavelength; and
  - a data processor that determines a characteristic of a region of interest with the fluorescence spectrum, the reflectance spectrum and the scattered spectrum.
- 29. (Original) The apparatus of Claim 28 further comprising a broadband light source that generates light in the range of 330-700 nm.
- 30. (Original) The apparatus of Claim 28 further comprising a fiber optic probe that couples the source to the tissue.

- 31. (Original) The apparatus of Claim 28 wherein the probe is insertable in an endoscope.
- 32. (Original) The apparatus of Claim 28 further comprising a fast excitation-emission matrix instrument.